component; and

4





PATENT IBM Docket No. CA9-2000-0042US1

Listing of the Claims (including amendments and status):

- 1 1.(Currently amended) A method for testing a software test
 2 component, said method comprising the steps of:
 3 ascertaining a public interface of the software test
- 5 creating a wrapper component for the software test component
 6 by the substeps of

defining a wrapper component interface to mirror the 7 public interface of the software test component and to 8 receive calls to the software test component, defining 9 the wrapper component to delegate to the software test 10 component by including calls to the public interface of 11 the software test component within the wrapper 12 component, inserting test code within the wrapper 13 component to permit capture and playback of user 14 interaction with the public interface of the software 15 test component, and 16

enabling a test case to use the wrapper component

interface to access pass the received calls to the

software test component and to generate test data from

the test code in the wrapper component.

- (Previously Presented) The method for testing a software
 test component according to Claim 1, wherein the software test
- 2 test component according to Claim 1, wherein the software to component is an object-oriented software test component and

- 4 wherein said step of ascertaining the public interface of the
- 5 software test component further comprises interrogating a test
- 6 component definition to determine public methods, constructor and
- 7 associated parameters for the software test component.
- 1 3. (Previously Presented) The method for testing a software
- 2 test component according to Claim 2, wherein the test component
- 3 is a Java language class and said ascertaining step further
- 4 comprises use of an introspection group of interfaces in a Java
- 5 Bean specification.
- 1 4. (Previously presented) The method for testing a software test
- 2 component according to Claim 2, wherein the substep of defining a
- 3 wrapper component interface further comprises defining public
- 4 methods, constructors and associated parameters in the wrapper
- 5 component to mirror the public methods, constructors and
- 6 parameters determined for the software test component.
- 1 5. (Currently amended) A computer memory storing logic program
- 2 product for testing software components, the <u>logic</u> computer
- 3 program product comprising a computer usable medium having
- 4 computer readable code means embodied in said medium, comprising:
- 5 first <u>logic</u> code means for ascertaining a public interface
- 6 of a software test component; and

8	second <u>logic</u> code means for creating a wrapper component 102
9	the software test component, said second code means
10	comprising
11	
12	<u>logic code means</u> for defining a wrapper component
13	interface to mirror the public interface of the
14	software test component,
15	logic code means for defining the wrapper component to
16	delegate to the software test component by including
17	calls to the public interface of the software test
18	component within the wrapper component,
19	logic code means for inserting test code within the
20	wrapper component to permit capture and playback of
21	user interaction with the public interface of the
22	software test component, and
23	logic code means for enabling a test case to use the
24	wrapper component interface to access the software test
25	component and then to generate test data from the test
26	code in the wrapper component.
1	6. (Currently amended) A system in a computing environment for
2	generation of a test environment for a software test component,
3	said system comprising:
4	
5	means for ascertaining a public interface of the software
6	test component; and

7 8	means for creating a wrapper component for the software test component, said creating means including
9	means for defining a wrapper component interface to mirror the public interface of the software test
10	
11	component,
12	means for defining the wrapper component to delegate to
13	the software test component by including calls to the
14	public interface of the software test component within
15	the wrapper component, and
16 17 18 19 20 21 22 23	means for making the wrapper component available to permit test code to be inserted within the wrapper component to permit capture and playback of user interaction with the public interface of the software test component and to permit a test case component to use the wrapper component interface to access pass data to the software test component and to generate test data from the test code in the wrapper component.
1 2 3	7. (Previously Presented) The system for generation of a test environment according to Claim 6, wherein the software test component is an object-oriented software test component and said
4	means for ascertaining the public interface of the software test

component further comprises

5

- 6 means for interrogating a. definition of the software test
- 7 component to determine public methods,
- 8 constructor and associated parameters for the software test
- 9 component.
- 1 8. (Previously Presented) The system for generation of a test
- 2 environment according to Claim 7, wherein the means for defining
- 3 a wrapper component interface comprises means for defining
- 4 public methods, constructors and associated parameters in the
- 5 wrapper component to minor the
- 6 public methods, constructors and parameters ascertained for the
- 7 software test component.